VC999®

R-SERIES
REVOLUTIONARY ROLLSTOCK THERMOFORMER



MANUFACTURED IN
NORTH KANSAS CITY, MO

KEY FEATURES:

- Skin pack below web line
- Easy customization

RELIABLE

The R-Series rollstock thermoformer from VC999 is built upon over 50 years of packaging industry knowledge. While the industry has changed over time, we have machines over 30 years old still in service.

REPUTATION

The R-Series has a long pedigree of reliability. With the ability to customize each unit, this machine can meet both your current and future packaging needs.

REFINED

The R-Series design has numerous features that will enhance productivity while reducing labor and maintenance costs.

RESULTS

In a competitive market, results matter! That's why our focus is on finding ways to increase your production speeds. Package more products, faster, with the VC999 R-Series rollstock thermoformer.



SPEED

- Lift design optimized to increase your production speeds
- Valve placement increases machine reaction speeds
- Machine overall speed and capabilities are increased by 15-20% over previous generation of rollstock machines



SERVICEABILITY

- Routine maintenance is simple with easy access to all serviceable parts
- External access to chain tensioning for easy adjustments
- Long-lasting o-rings and gaskets that minimize down-time
- VC999 guaranteed 10-year parts availability



HYGIENIC

- Angled surfaces eliminate pooling
- Standoffs in paneling for easy cleaning
- Washdown rated Igus bearings
- Chain guides with nylon standoffs



SAFETY

- The R-Series is CE, UL, and CSA certified meeting global standards for efficiency, cleanliness, health, and safety
- Optical and magnetic sensors trigger automatic safety systems



REMOTE ACCESS OPTION

- Troubleshoot in real-time remotely through a secure EWON network connection
- EWON allows customers to address small problems quickly and efficiently

MACHINE SPECS	
STANDARD MACHINE WIDTHS	285 / 320 / 355 / 420 / 459 / 520 / 560 / 620 / 720 mm
MAX. INDEX LENGTH	Up to 650 mm (with preheating 360 mm max)
STANDARD LOADING LENGTHS	1300 - 3300 mm
STANDARD DISCHARGE LENGTHS	750 - 3000 mm
DRAW DEPTH	100 / 135 / 185 mm
FILM ROLL DIAMETER	Up to 400 mm (standard) 1500 mm (jumbo)
ROLL CORE	76 mm / 3” (standard) *152 mm / 6” available*
POWER SUPPLY	220 / 440 V / 3 Ph / 50 / 60 Hz
REQUIRED AIR PRESSURE	7 bar (103 PSI) @ 850 l/min
CERTIFICATIONS	CE, UL, and CSA

OPTIONS

- Automatic Chain Lubrication
- Coding and Printing Devices
- Confirmation Station
- Conveyors
- Customized Form and Sealing Tooling
- Gas Testing Devices
- Heavy Product Support
- Hole Punch Devices
- Jumbo Power Unwind 1500 mm
- Labeling Devices
- MAP Gas Options
- Multiple Cutting Options
- Plug Assist
- Printed Film Registration
  (Slot Sensor or Color Photo Eye)
- Product Support Wire
- Remote EWON Access
- Shrink Application
- Sandwich Preheat
- Skin Pack
  (Below Web Line)
- Tear Notch
- Water Chiller

VC999® ROLLSTOCK PRODUCTS

I SERIES



P SERIES



R SERIES



C SERIES



M SERIES



The brand name VC999® stands for vacuum capacity 99.9% - a reference to the highest vacuum performance that can be achieved.

For over 50 years, VC999 has been at the forefront of innovation in vacuum packaging, leading the way in cutting-edge technology and design.

Our extensive product range includes everything from compact table-top vacuum machines to a full line of advanced packaging systems such as shrink-wrappers, dryers, tray sealers, and thermoformers - providing all the tools you need to package your high-quality products with excellence.

CONTACT US
VC999.com
1-800-728-2999
Sales@VC999.com

VC999 materials PACKAGING plus+

ALSO AVAILABLE: SAFETY LIFT SOLUTIONS

We also offer Safety Lift Solutions to help dramatically reduce workplace injury while improving the safe handling of rolls, reels, drums, boxes, and other product loads.





TOP AND BOTTOM PACKAGE LABELER



FILM LABELER